

STARLINE

GERDA®
EUROPEAN SECURITY ENTRY DOORS

We need to get used to the best!

EUROPEAN BURGLAR PROOF STANDARD SIZE SINGLE EXTERIOR DOORS

SPECIAL OFFER FOR CANADA



The best choice in its class for Canada

RC2 / RC3 burglary class

New designs with burglar proof glass









ENTRY DOORS TORONTO INC.

Quality is not an act, it is a habit!

**European
Security
single
door from
CA\$2,500.00**
Excluding installation.
HST is not included.



	STARLINE GERDA [®] <small>EUROPEAN SECURITY ENTRY DOORS</small>	
UD	THERMAL INSULATION U _f VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 60 DOOR FRAME* SOLID DOOR 0,86 W/m²K GLAZED DOOR 0,95 W/m²K DUOTHERM 60 DOOR FRAME SOLID DOOR 0,94 W/m²K GLAZED DOOR 1,1 W/m²K
RC	RESISTANCE CLASS	RC2 / RC3**
	LEAF THICKNESS	60 mm
	DOOR SIZES	80 · 90N · 90E · 100E*
	DESIGN LINES	CROSS LINE · ELITE 3D · TEMPO
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE
	R T E extra fees	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm

ALUTHERM 60 DOOR FRAME*
SOLID DOOR / GLAZED DOOR


$U_d = 0,86 / 0,95 \text{ W/m}^2\text{K}$

DUOTHERM 60 DOOR FRAME
SOLID DOOR / GLAZED DOOR

$U_d = 0,94 / 1,1 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



You can choose NEW long door plate PRAGA or BERGEN



Class 5 lock cylinder, AB system: A - installer's keys + B - final user keys




Hinges adjustable in three planes with caps matching hardware's colour




Adjustable pawl hitch



DUOTHERM 60 door frame




Auxiliary 3-bolt lock




Main 3-bolt lock




Mortise lock 3-point 2-hook




Mortise lock 3-point automatic




Lower upstand brush seal




Fixed anti-prizing bolts



ALUTHERM 60* door frame



DUOTHERM 60 door frame



Composite connector of threshold with windstopper



4 sides rebated



tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE

steel frame construction RC2 / RC3 standard sizes single doors - price range from \$2,500.00 (CAD)

Standard door frame dimensions:

W31.5" x H82" (80NCA)
W33.5" x H82" (80CA)
W35.5" x H82" (90NCA)
W37.5" x H82" (90CA)
W43.5" x H82" (100CA)

No glass door models are available in the custom size range:
frame width: from 36.50" to 44.50"
frame height: from 82.28" to 94.50"
(some designs are not available in custom size)


All doors are available in 20
standard colors and 50+ RAL
colors (pg. 9-10)



SS01



SS02



SS03



SS04



SS05



SS06



SS07



SS08



SS09



SS10



SS11



SS12



SS13



SS14



SS15

steel frame construction RC2 / RC3 standard sizes single doors - **price range from \$2,900.00 (CAD)**

Standard door frame dimensions:

W31.5" x H82" (80NCA)
W33.5" x H82" (80CA)
W35.5" x H82" (90NCA)
W37.5" x H82" (90CA)
W43.5" x H82" (100CA)

No glass door models are available in the custom size range:
frame width: from 36.50" to 44.50"
frame height: from 82.28" to 94.50"
(some designs are not available in custom size)

All doors are available in 20
standard colors and 50+ RAL
colors (pg. 9-10)




SB01



SB02



SB03



SB04



SB05



SB06




SB07



SB08



SB09



SB10




SB11



SB12



SB13



SB14



SB15

steel frame construction RC2 / RC3 standard sizes single doors - **price range from \$3,300.00 CAD**

Standard door frame dimensions:

W31.5" x H82" (80NCA)
W33.5" x H82" (80CA)
W35.5" x H82" (90NCA)
W37.5" x H82" (90CA)
W43.5" x H82" (100CA)

No glass door models are available in the custom size range:
frame width: from 36.50" to 44.50"
frame height: from 82.28" to 94.50"
(some designs are not available in custom size)

All doors are available in 20
standard colors and 50+ RAL
colors (pg. 9-10)



SH01



SH02



SH03



SH04



SH05



SH06



SH07

SHAKER MOLDINGS

CLASSIC



MODERN



HANDLES COLORS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



steel frame construction RC2 standard sizes single doors - **price range from \$3,500.00 CAD**

Standard door frame dimensions:

W33.5" x H82" (80CA)
W35.5" x H82" (90NCA)
W37.5" x H82" (90CA)
W43.5" x H82" (100CA)

Glass door models are available in the custom size range:
frame width: from 36.50" to 44.50"
frame height: from 82.28" to 94.50"
(some designs are not available in custom size)

All doors are available in 20
standard colors and 50+ RAL
colors (pg. 9-10)



SG01



SG02



SG03



SG04




SG05



SG06



SG07



SG08



SG09




SG10



SG11



SG12



SG13



SG14



SG15

steel frame construction RC2 / RC3 standard sizes single doors - **price range from \$2,900.00 CAD**

Standard door frame dimensions:

W35.5" x H82" (90NCA)
W37.5" x H82" (90CA)
W43.5" x H82" (100CA)

No glass door models are available in the custom size range:

frame width: from 36.50" to 44.50"
frame height: from 82.28" to 94.50"
(some designs are not available in custom size)

All doors are available in 20
standard colors and 50+ RAL
colors (pg. 9-10)

DEEP EXTERNAL EMBOSSEMENT MODELS



CL01



CL02



CL03



CL04



CL05




CL06

all glass units are triple glass construction with standard VSG 33.1 security exterior glass (burglar proof)
(upgrade to P4 anti-burglary glass is available for extra fees)




Matt glass



Matt glass with clear lines



Mirastar (mirror) glass




Reflex bronze (brown) glass



Reflex black glass




Reflex graphite glass




Clear glass


FRR
ALPINE WALNUT
wood texture
vertical pattern
semi gloss




FMA
MAHOGANY
wood texture
vertical pattern
semi gloss



FRB
BRAZILIAN WALNUT
wood texture
vertical pattern
semi gloss



FRP
LIGHT WALNUT
wood texture
vertical pattern
semi gloss




FKC
BLACK
grain texture



FKG
ANTHRACITE
grain texture



FSB
WHITE
grain texture



FKR
RED
grain texture



FKP
LIGHT BLUE
grain texture





FNI
BLUE
grain texture





FKV
COBALT BLUE
grain texture






TWO-COLOR DOOR*

To create a unique configuration for our house's door, we can combine any two colors from the available TERRA palette. The outer side of the door leaf and the outer frame will have one color, while the inner side will have another. This allows us to better match the door's style to the design of both the façade and the interior. This option is available for an extra charge. Alternatively, at no extra cost, we can order a door leaf in one selected color with a frame in a different color.



STANDARD HARDWARE FOR MORTISE LOCKS


HANDLE-HANDLE



outside | inside

PRAGA
HANDLE-HANDLE
LONG ECUTCHEON

HANDLE-HANDLE




outside | inside

BERGEN
HANDLE-HANDLE
SPLIT ECUTCHEON
with cylinder protection

STANDARD HARDWARE FOR BOLT LOCKS


TÜRGRIF-FÜRGRIF



outside | inside

PRAGA
HANDLE-HANDLE
LONG ECUTCHEON
AUXILIARY LOCK
ECUTCHEON

TÜRGRIF-FÜRGRIF



outside | inside

BERGEN
HANDLE-HANDLE
LONG ECUTCHEON
with cylinder protection
AUXILIARY LOCK
ECUTCHEON

CYLINDERS SET, KEYED ALIKE SYSTEM, AB SYSTEM (for doors with mortise locks – single cylinder)	CLASS 5
NUMBER OF KEYS	5 + 2
PRAGA OR BERGEN ECUTCHEON	to choose from
HINGE CAPS MATCHING FITTING'S COLOUR	✓

EVO – CLASS 5 LOCK CYLINDER



SECURITY CLASS	CLASS 5
MECHANISM DURABILITY	100 000 cycles
NUMBER OF PINS	12 pins: 9 in two rows and 3 side pins
KEY TYPE	horizontal drilled
NUMBER OF KEY CODE COMBINATIONS	9 300 000
RESISTANCE TO BURGLARY CLASS	C
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened nickel-plated anti-drilling pins in the body
EMERGENCY FUNCTION (standard for HANDLE-HANDLE)	✓
NUMBER OF KEYS	5 keys made of 'new silver' (for final user) + 2 brass keys (for installer)
OTHER	code card
WARRANTY	2 years
tedee READY	no

SYSTEM AB

A



2 x Installer's keys
Installer's key „A“ operates the cylinder until „B“ key is used by final user.

B




5 x final keys
Use of „B“ key deactivates installer's keys. A sealed opaque bag includes set of „B“ keys and code card.


NOTE! The lock cylinder will reach its final protection level after activation with "B" key.

HARDWARE COLOURS


PLATINUM ANODE




SILVER ANODE



BLACK ANODE




INOX




ONLY FOR HANDRAILS

CYLINDER COLOURS

SATINE NICKEL



BLACK NICKEL



EXTRA CHARGE HARDWARE

outside

inside

PRAGA

LONG ESCUTCHEON
with cylinder protection
AUXILIARY LOCK
ESCUTCHEON
with cylinder protection

outside

inside

PRAGA

LONG ESCUTCHEON
with cylinder protection/
without cylinder
protection

outside

inside

BERGEN

LONG ESCUTCHEON
with cylinder protection

outside

inside

MONTREAL + BERGEN

HANDRAIL
RING ESCUTCHEON or
ESCUTCHEON FOR HANDRAIL
with cylinder protection
SPLIT ESCUTCHEON

outside

inside

AMSTERDAM + PRAGA

HANDRAIL
ESCUTCHEON FOR HANDRAIL
with cylinder protection/
withOUT cylinder protection
LONG ESCUTCHEON

THERMO PREMIUM – AUXILIARY LOCK CYLINDER WITH PROTECTION	✓
KNOB-HANDLE SET	✓
6 CLASS LOCK CYLINDERS, KEYED ALIKE SYSTEM	✓
ADJUSTMENT FOR HANDRAIL WITH PUSHBUTTON	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1700 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1500 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL ROSTOCK 2000 mm (ONLY FOR OUTWARD OPENING DOORS)	✓
tedee PRO SET	✓

VITA – CLASS 6 LOCK CYLINDER



SECURITY CLASS	CLASS 6
MECHANISM DURABILITY	100 000 cycles
NUMBER OF PINS	6 active pins
KEY TYPE	vertical incised
NUMBER OF KEY CODE COMBINATIONS	100 000
RESISTANCE TO BURGLARY CLASS	D
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened anti-drilling pins in the body and cylinder
EMERGENCY FUNCTION	standard in key-key version
NUMBER OF KEYS	5 brass nickel-plated keys (for final user) + 2 brass keys (for installer)
OTHER	security card
WARRANTY	5 years (registered product)
tedee READY	✓

HANDRAILS

The visualizations show the door of a standard height of 2076 mm.



TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know as you can charge the battery overnight.

SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.

SET

tedee PRO SMARTLOCK + tedee BRIDGE + CLASS 6 LOCK CYLINDER



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.

INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.

INSTALL THE SMARTPHONE APP

DOWNLOAD THE **tedee** APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUE-TOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.

CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE **tedee** LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

STARLINE

GERDA®
EUROPEAN SECURITY ENTRY DOORS

Gerda Sp. z o.o.

Sokołów, ul. Sokołowska 49
05-806 Komorów
POLAND

This catalogue does not constitute an offer under the provisions of law and is merely informational.
It is prohibited to copy or distribute any content and material without the prior consent of Gerda Sp. z o.o.

Distributor:



ENTRY DOORS TORONTO INC.

Quality is not an act, it is a habit!

Showroom and warehouse address:

7321 Victoria Park Ave. unit 20, Markham
L3R 2Z8, Ontario Canada
office phone: (416) 800-7737,
direct line: (647) 800-1627 (Alex Sel)
<https://www.entrydoors-toronto.com/>
e-mail: info@entrydoors-toronto.com

38 YEARS
GERDA®