

## **DESPIRO**

#### **DESPIRO EXCLUSIVE DOORS**





a threshold.

and savings.

parameters.









\* All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.

## **ALUMINUM DOORS DESPIRO**

Our elegant collection of Despiro doors is an attractive offer for the most demanding customers that value modernity in both technological and aesthetic aspects. The combination of beauty and durability in a single joinery product that cannot be missed.

#### Aesthetics and design

Our doors are distinguished by the door leaves that are hidden behind decorative panels. This technology lets us achieve the effect of unified surface due to the use of special profiles covered with aluminium panels. The doors have been designed in order to achieve the same effect on both sides - outside and in the inside. Concealed hinges provide an effect of cohesion and visual harmony and enhance the aesthetic features of the doors.

#### Tightness and insulation

Due to the fact that the system MB-86 is the supporting structure, we are able to offer light, rigid and durable aluminium profiles available in the four structure versions (ST, SI, SI+ and AERO) and in the three types of bottom sealing. The doors are distinguished by the very high water and air tightness as well as excellent thermal and acoustic insulation. This has a real impact on both the comfort inside the building and the costs of their using.

# Door **DESPIRO** DP02



## Aluminium door sash

With a thickness of 77 mm with a both sided overlay panel.

## Concealed hinges

To choose from hidden hinges from Siegenia Axxent or roll hinges from Wala WR.



Inox handle

On a short lock plate in standard.

## **INOX** rosette

From the outside the choice of rosettes made of aluminium – from annular those with anti-drilling protection.

## Triple glazed package

With the external VSG glass and warm spacer.

## Additional options

- Concealed Geze Boxer door closer,
- Espagnolette with a motor with a selection of GU (fingerprint reader, numeric keyboard, bluetooth and rfid) or Siegenia Genius (fingerprint reader, numerical keyboard – built in WIFI modules),
- A pocket handrail available in silver or black colour the pocket handrail has two options of illumination,
- Locking sensor,
- Electric lock with the day and night option.

## **Elegant collection** of external Despiro doors

This is an attractive offer for even most the demanding clients, who value not only the modern technologies but also the aesthetics.

- Panels' thickness of 77 mm,
- Maximal dimensions of the construction: 1,4 x 2,6 m,
- 2 types of bottom sealings.

## 



### • DP 01

- Pull DP 60.1600,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float with translucent stripes,
- Rear glass: thermofloat
- with a black warm edge spacer,
- Alu-Inox application put on both sides, • • RAL 9016 white gloss,
  - DP 02 •
- Pull DP 60.1800,
- Front glass: VSG 33.1 thermofloat, • Glazing (centre) sandblasted float
- with translucent stripes, • Rear glass: thermofloat
- with a black warm edge spacer,
- Flush Alu-Inox inlay on both sides,
- RAL 7016 grey anthracite matt,





#### • DP 05

- Pull DP 60.1600, • Milling on both sides,
- RAL 7016 grey anthracite matt,

## DP 06 •

- Pull DP 60.1000,
- Front glass: VSG 33.1 thermofloat, Glazing (centre) sandblasted float •
- with translucent stripes, • Rear glass: thermofloat
- with a black warm edge spacer, Milling on both sides, •
- RAL 7001 matt,

## • DP 03

- Pull DP 60.1000,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float, Rear glass: thermofloat
- with a black warm edge spacer,
- Alu-Inox application put on both sides,
- RAL 7016 grey anthracite matt,

## DP 04 •··

- Pull DP 60.1400,
- Flush Alu-Nox inlay on both sides, • Mahogany/a surcharge for wood-like colours,





- DP 07
- Pull DP 40.1400,
- Front glass: VSG 33.1 thermofloat, Glazing (centre) sandblasted glass
- with a translucent frame,
- Rear glass: thermofloat
- with a black warm edge spacer, Milling on both sides,
- RAL 3004 maroon matt,

## DP 08 •··

- Pull DP 60.800,
- Front glass: VSG 33.1 thermofloat, • Glazing (centre) sandblasted glass
- with a translucent frame, Rear glass: thermofloat . with a black warm edge spacer,
- RAL 9016 white gloss,









#### • DP 09

#### Pull DP 60.1600

- Front glass: VSG 33.1 thermofloat • Glazing (centre) sandblasted glass with a translucent frame
- Rear glass: thermofloat
- with a black warm edge spacer • Flush Alu-Inox inlay on both sides
- RAL 7016 grey anthracite matt/WENGE/ a surcharge for wood-like colours

#### DP 10 •··

- Pull DP 60.1800,
- RAL 9006 aluminium silver matt,

## DP 11 • Pull DP 60.1800, • Front glass: VSG 33.1 thermofloat,

- Glazing (centre) sandblasted float with translucent stripes,
- Rear glass: thermofloat
- with a black warm edge spacer, • Alu-Inox application put on both sides,
- RAL 9007 grey matt,

## DP 12 •--

- Pull DP 50.1200
- Front glass: VSG 33.1 thermofloat
- Glazing (centre) sandblasted glass with a translucent frame
- Rear glass: thermofloat with a black warm edge spacer
- RAL 3004 maroon matt/RAL 9007 • grey matt





#### DP 13

- Pull DP 200,1600.
- Front glass: VSG 33.1 thermofloat,
  - Glazing (centre) sandblasted glass, • Rear glass: thermofloat
  - with a black warm edge spacer,
  - Alu-Inox application put on both sides,
- RAL 7016 grey anthracite matt,

## DP 14 •

- Pull DP 60.1600,
  - Front glass: VSG 33.1 thermofloat,
  - Glazing (centre) sandblasted float
  - Rear glass: thermofloat •
  - with a black warm edge spacer, Milling on both sides, •
  - RAL 9016 white gloss,

## • Pull DP 60.1200, Front glass: VSG 33.1 thermofloat, •

- Glazing (centre) sandblasted float,
- Alu-Inox application put on both sides,
- RAL 7016 grey anthracite matt,

- Pull DP 60.1600,
- Front glass: VSG 33.1 thermofloat, •

•

- Glazing (centre) sandblasted float,

- Rear glass: thermofloat • with a black warm edge spacer,

## DP 16 •··

- Rear glass: thermofloat
- with a black warm edge spacer,
- Milling on both sides, •
- RAL 7016 grey anthracite matt,

with translucent stripes and a black frame,











- Pull DP 50.1200.
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float with translucent stripes,
- Rear glass: thermofloat
- with a black warm edge spacer, • Milling on both sides,
- RAL 9016 white gloss,
- - DP 18 •··
- Pull DP 60.800, • Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float
- with translucent stripes,
- Rear glass: thermofloat with a black warm edge spacer,
- External milling, •
- Flush Alu-Inox inlay on both sides,
- RAL 7001 matt,

#### DP 19

- Pull DP 60.800,
- Front glass: VSG 33.1 thermofloat, • Glazing (centre) sandblasted float
- with translucent stripes, • Rear glass: thermofloat
- with a black warm edge spacer, • RAL 9016 white gloss,

#### DP 20 •··

- Pull DP 60.1800,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float with translucent stripes and a decorative frame,
- Rear glass: thermofloat with a black warm edge spacer,
- Alu-Inox inlay applied outside into the panel/flush,
- Decorative frame made of aluminum profile • 20x60, placed on the front, in the colour of a panel,
- RAL 7016 grey anthracite matt,







#### DP 21 • Pull DP 60.1800,

- Alu-Inox application put on both sides,
- RAL 7016 grey anthracite matt,

### DP 22 •

- Pull DP 60.1800,
- Alu-Nox application put on both sides,
- RAL 7016 grey anthracite matt,

- Pull DP 60.1800,
- RAL 9016 white gloss,

### DP 24 •

- Pull DP 60.1400,
- Front glass: VSG 33.1 thermofloat, • • Glazing (centre) sandblasted float
- with transparent stripes, Rear glass: thermofloat

- Milling on both sides,
- with a black warm spacer bar,
- RAL3004/RAL9005,





## • DP 23

• Alu-Nox application put on both sides,





#### • DP 27

- Pull DP 30.1200,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,
- Rear glass: thermofloat with a black warm spacer bar,
- Milling on both sides,
- RAL9005,

## DP 28 •

- Pull DP 60.1400,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float with transparent stripes,
- Rear glass: thermofloat
- with a black warm spacer bar, • Milling on both sides,
- RAL1023/RAL9005,







### • DP 29

- Pull DP 70.1400,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,
- Rear glass: thermofloat with a black warm spacer bar,
- INOX application, •
- RAL9005,

## DP 30 °

- Pull DP 70.1200,
- Front glass: VSG 33.1 thermofloat, •
- Glazing (centre) sandblasted float,Rear glass: thermofloat
- with a black warm spacer bar,
- INOX application,
- RAL7040,



- DP 31
- Pull DP 60.1600, Front glass: VSG 33.1 thermofloat,
- • Glazing (centre) sandblasted float,
- Rear glass: thermofloat
- with a black warm spacer bar,
- INOX application,
- RAL6012,

## DP 32 •

- Pull DP 60.1800,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,
- Rear glass: thermofloat with a black warm spacer bar,
- INOX application,
- RAL9001,







- RAL3004,
  - DP 36 🗠
- Pull DP 30.1400,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,
- Rear glass: thermofloat
- with a black warm spacer bar, • RAL7040,





- •• DP 37
- Pull DP 60.1200,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,
- Rear glass: thermofloat with a black warm spacer bar,
- INOX application,
- RAL7016,

### DP 38 •

- Pull DP 60.1400,
- Front glass: VSG 33.1 thermofloat,
- Glazing (centre) sandblasted float,Rear glass: thermofloat
- with a black warm spacer bar,
- INOX application,
- RAL1019,



#### • series DP 30

(cantilevels cut at the angle of 45 degrees), stainless, matt or polished steel

Available dimensions:

=

\_

- DP 30.600 30x600 mm
- DP 30.800 30x800 mm
- DP 30.1000 30x1000 mm
- DP 30.1200 30x1200 mm
- DP 30.1400 40x1400 mm
- DP 30.1600 40x1600 mm
- DP 30.1800 40x1800 mm

#### series DP 60

(flat-finished cantilevels), stainless, matt or polished steel Available dimensions:

- DP 60.600 40x20x600 mm
- DP 60.800 40x20x800 mm
- DP 60.1000 40x20x1000 mm
- DP 60.1200 40x20x1200 mm
- DP 60.1400 40x40x1400 mm
- DP 60.1600 40x40x1600 mm
- DP 60.1800 40x40x1800 mm

#### series DP 40

(flat-finished cantilevels), stainless, matt or polished steel Available dimensions:

#### • DP 40.600 - 30x600 mm

- DP 40.800 30x800 mm
- DP 40.1000 30x1000 mm
- DP 40.1200 30x1200 mm
- DP 40.1400 40x1400 mm
- DP 40.1600 40x1600 mm
- DP 40.1800 40x1800 mm
  - series DP 70

1000

(cantilevels cut at the angle of 45 degrees), stainless, matt or polished steel

Available dimensions:

- DP 70.600 40x20x600 mm
- DP 70.800 40x20x800 mm
- DP 70.1000 40x20x1000 mm
- DP 70.1200 40x20x1200 mm

DP 70.1400 - 40x40x1400 mm

- DP 70.1600 40x40x1600 mm
- DP 70.1800 40x40x1800 mm

### series DP 90

(forward-curved pulls), stainless, matt or polished steel Available dimensions: • DP 90.600 - 600 mm

### series DP 210

(cantilevels cut at the angle of 45 degrees) stainless/Jatobe, matt or polished steel Available dimensions: • DP 210.800 - 800 mm

- DP 210.1200 1200 mm
- DP 210.1600 1600 mm

series DP 80

(cantilevels at the endings of the pull), stainless, matt or polished steel Available dimensions:

• DP 80.600 - 600 mm

#### series DP 110 °

(cantilevels cut at the angle of 45 degrees), stainless, matt or polished steel

Available dimensions:

- DP 110.600 600 mm
- DP 110.800 800 mm
- DP 110.1000 1000 mm
- DP 110.1200 1200 mm
- DP 110.1400 1400 mm • DP 110.1600 - 1600 mm
- DP 110.1800 1800 mm

#### series DP 200

(flat-finished cantilevels), stainless/Jatobe, matt or polished steel

Available dimensions:

- DP 200.800 800 mm
- DP 200.1200 1200 mm
- DP 200.1600 1600 mm



In our offer you will find a wide range of glass with motifs, translucent glass or ornamental glass available in the most popular designs. (Not applicable to models DP20 to DP 36.)

#### Optional ornaments:



Sidelights and toplights consist of 3-glazed units with warm edge spacers. The sidelights (permanent glazing) can be placed on one side as well as both sides of a door structure.

The maximum width of a sidelight: 1400 mm.

All door models ar available in variants with sidelights and toplights. variant 1: Sandblasted glass (motifs) variant 2: Translucent glass variant 3: Ornamental glass

Panelled doors are designed for the most demanding users. The innovative technical solutions and unconventional designs let us create not only functional and durable front entry doors, but also the hallmark and decoration for many years.

#### Standard colours

Door colours will definitely enhance the facade look and add an individual character.



\* Optionally all RAL colours are available as subject to a surcharge.

\*\* Models from DP20 to DP36 are only available in RAL colors.

#### Wood-like colours



\* A surcharge for wood-like colours.

\*\* Colours shown in this leaflet may differ from the actual ones.

\*\*\* Models from DP20 to DP36 are only available in RAL colors.









